

# INDEX

---

## -A-

- AARQ-apdu, 215, 218, 220
- A-ASSOCIATE, 215-16, 218-21
- Abort services
  - presentation layer and, 219, 248, 254
  - session layer and, 276
- Abstract syntax notation one (ASN.1)
  - application entity titles and, 86
  - background of, 68-69
  - compilers, 75-76, 247
  - data types and tags, 69-72
  - directory entries, 125
  - modules, 72-73
  - ports, 130-32
  - refinement macros, 133
  - ROSE macros, 238-41
  - transfer syntax/basic encoding rules, 67-68, 73-75
- Accredited Standards Committees (ASCs), 16, 17
- ACSE. *See* Association-control service element
- Activity management, 262
  - functional units, 266-70
- Addresses
  - IP, 398-403
  - in message-handling system, 155-58
  - network layer, 398-410
  - OSI, 403-10
  - role of, 88
- Addressing, transport, 300-301
- Address mask, 428
- Address-resolution protocol (ARP), 429-30
- Administration management domain (ADMD), 155
- Administrative Directory Management Domain, 129
- Administrative domain, 421
- Advanced Research Projects Agency (ARPA), 6, 33, 363
- Alberi, J. L., 233
- Allomorphy, 192
- American National Standards Institute (ANSI), 14, 16, 565
  - NSAP address structure, 407-9
  - registration authority and, 90-91
- Announcement, 424-25
- A-P-ABORT, 215, 221-22
- Applicability statements, 25
- Application-context name, 218
- Application entity (AE) titles
  - See also* Distributed application services
  - identification of, 217-18
  - innovation identifiers, 217-18
  - OSI, 85-86, 102, 103-5, 215-16
  - TCP/IP, 102-3, 105
- Application gateways, 512-15
- Application process (AP), 102
  - identification of, 217-18
  - qualifier, 217
  - title, 217

Applications (layer)  
*See also* Distributed application services  
 OSI, 11  
 TCP/IP, 11

Application service elements (ASEs), 103  
 association-control service element,  
 213, 214-23  
 reliable transfer service element, 213, 223-32  
 remote operations service element,  
 214, 232-44

Application service objects (ASOs), 285

Archie, 108, 142

Architecture  
 defining, 34-35  
 layers, 37-45  
 OSI Directory, 123-24  
 OSI naming, 84-85  
 Reference Model, 35, 36-37  
 TCP/IP, 33-34, 35, 88  
 wars, 37

Area address, 434

A-RELEASE, 215, 219, 221

ARGO, 293-94, 296-97

ARPANET, 6, 24, 115, 423

ASCII, 63

Association-control service element (ACSE)  
 modes, 222-23  
 role of, 213, 214-15  
 service and protocol, 215-22

Association Française du Normalisation  
 (AFNOR), 14

Asynchronous communication, 297, 298-99

Asynchronous operations, ROSE and, 234-35

Asynchronous transfer mode (ATM), 467, 494-97  
 adaptation layers, 496-97  
 cell structure, 496  
 synchronous transfer mode and, 494-95

Atomicity, 244

Attributes, 125-26

Attribute value assertion (AVA), 126, 200

A-U-ABORT, 215, 219, 221

Authentication services, 134-35

Authority and format identifier (AFI), 404-7

**-B-**

Banyan Vines, 507

Basic encoding rules (BER), 68  
 ASN.1, 73-75

*Basic Reference Model of Open Systems  
 Interconnection*, 33

Bellman-Ford algorithm, 434, 448

Berkeley Interactive Name Demon (BIND), 116

Berners-Lee, Tim, 143

Blocking, 61, 291

Bolt Beranek and Newman, 117

Border gateway protocol (BGP), 424, 463, 464

Brandwein, R., 482

British Standards Institute (BSI), 14, 94

Broadband, use of the term, 11n.6

Broadband integrated services digital networks  
 (BISDN), 468

Burroughs, 433, 434  
 network architecture (BNA), 364

**-C-**

Cailliau, Robert, 143

Cain, E., 34

Call request, 366

Call user data, 366

Capability data transfer, 270

Capability functional units, 266

CCITT. *See* International Telegraph and  
 Telephone Consultative Committee

Cerf, V., 34

Chaining, 132

Chapin, Lyman, 52, 383

Checkpointing, 223, 270 *See also* Synchronization

Clark, D. D., 389

Clients, 118, 119-21

CMIP. *See* Common management information  
 protocol

CMIS. *See* Common management information  
 service

Cohen, D., 34, 383

Coltun, R., 446

Comer, Douglas E., 3, 44, 430

ComitÇ Consultatif International  
 TÇIÇgraphique et TÇIÇphonique. *See*  
 International Telegraph and Telephone  
 Consultative Committee

Commitment, concurrency, and recovery, 244

Committee draft (CD), 17

Common application service elements (CASE), 244

Common management information protocol  
 (CMIP)  
 description of, 178, 189-211

- how to manage, 195-98
  - management information model and GDMO, 191-95
  - profiles, 204-5
  - protocol suite and, 198-99
  - remote operations and, 199-202
  - Common management information protocol over TCP/IP (CMOT), 205
  - Common management information service (CMIS)
    - how to manage, 195-98
    - services of, 196
  - Community string, 188
  - Concatenation, 61, 279, 291, 334
  - Concrete syntax, 66, 67
  - Conditional packages, 193-94
  - Configuration timer (CT), 425-26
  - Conformance testing, 21
  - Connection-establishment facilities, 248, 251-58
  - Connection-establishment timers, 348
  - Connectionless network protocol (CLNP), 367-68
    - compared with IP, 380, 383-96
    - connections versus, 369-72
  - Connectionless network service (CLNS), 379-83
  - Connectionless transport service (CLTS), 358-59
  - Connection-oriented network service, 372-79
  - Connection-oriented transport service (COTS)
    - OSI, 290-91
    - TCP/IP, 291-92
  - Connection release/refusal
    - OSI, 354-56
    - TCP/IP, 356-57
  - Connections
    - and connectionless models of communication, 51-54
    - datagrams versus, 371
    - transport layer (OSI), 311-19
    - transport layer (TCP/IP), 320-24
    - versus connectionless, 369-72
  - Connection-termination facilities, 248
  - Containment, 193
    - tree, 200
  - Context-management facilities, 248
  - Context set
    - definition, 247-48
    - negotiation, 254, 257
  - Control messages, 393
  - Corporation for National Research Initiatives, 117
  - Corporation for Open Systems (COS), 21
  - Cox, T., 482
  - Crocker, Stephen, 6
- D-**
- Dahl, J., 482
  - DARPA (Defense Advanced Research Projects Agency), 21, 24, 33, 306
  - Data-description language, 68
  - Datagrams, 52, 53, 358-59, 371
    - in OSI, 379, 381
    - in TCP/IP, 381-83
  - Data-link layer, 43
    - asynchronous transfer mode (ATM), 467, 494-97
    - distributed queue dual bus (DQDB), 468, 477-82
    - European Telecommunications Standards Institute (ETSI)-MAN, 486-87
    - fiber distributed data interface (FDDI), 468, 474-77
    - frame-relay technology, 488-93
    - metropolitan area networks, 467, 473-500
    - multiaccess channel standards, 468-69, 471-72
    - point-to-point connection standards, 468, 469-70
    - role of, 467
    - switched multimegabit data service (SMDS), 482-86
    - synchronous optical network (SONET), 482, 497-500
    - taxonomy of standards, 468-69
    - very high bandwidth needed, 500
  - Dataphony, use of term, 4n.1
  - Data representation, 65-68
  - Data retransmission timer, 348-49
  - Data types, ASN.1, 69-72
  - Day, J., 284
  - DEC (Digital Equipment Corp.), 433, 434
  - Defense Communications Agency (DCA), 96
  - Defense Information Systems Agency (DISA), 96
  - Defined-context set (DCS), 248
  - Definite form, 74
  - Delegated authority, 116
  - Demultiplexing, 61

- Deutsches Institut für Normung (DIN), 14
  - Dialogue
    - control, 248, 262
    - unit, 270
  - Diffie, W., 135
  - Digital network architecture (DNA), 363-64
  - Dijkstra's shortest-path-first (SPF) algorithm, 431, 434
  - Directories
    - Archie, 108, 142
    - domain name system, 115-21, 145
    - FINGER, 108, 140-41
    - networked information retrieval, 141-42
    - OSI, 115, 122-48
    - principles, 113-14
    - role of, 111-12
    - telephone model, 112-13
    - types of open system, 115
    - WHOIS, 108, 140
    - Wide Area Information Service, 108, 142-43
    - WorldWideWeb, 108, 143-44
  - Directory access protocol (DAP), 134, 135
  - Directory information base (DIB), 124-31
  - Directory information tree (DIT), 124
  - Directory management domain (DMD), 129
  - Directory Service and Common Management Information Service, 104
  - Directory services, 107
  - Directory system agents (DSAs), 129, 132-34
  - Directory system protocol (DSP), 134, 135
  - Directory user agents (DUAs), 128
  - Discard-reporting function, 389-90
  - Distance-vector routing, 431, 432, 448
  - Distinguished name (DN), 127-28, 200
  - Distributed application services
    - characteristics shared by OSI and TCP/IP, 101
    - communications component, 102
    - comparison of OSI and TCP/IP, 105
    - directory services, 107
    - distributed file systems, 107
    - electronic data interchange, 107
    - electronic mail, 106
    - local component, 101-2
    - message-handling system, 106-7
    - network management, 107-8
    - office document architecture interchange, 107
    - OSI construction of application entities, 103-5
    - remote database access, 108-9
    - TCP/IP construction of application entities, 102-3
  - Distributed file systems, 107
  - Distributed queue dual bus (DQDB), 468, 477-82
  - Distributed transaction processing, 244
  - Document transfer, access, and manipulation (DTAM), 107
  - Domain name system (DNS), 108, 145
    - background of, 115-16
    - how it works, 118-21
    - mail exchanger, 121
    - names, 116-18
    - resolvers/clients, 118, 119-21
    - reverse lookups, 121
    - servers/name servers, 118-19
  - Downgrading, 163
  - Draft international standard (DIS), 17
  - Dual stack approach, 510-12
  - DUNE, 233
- E-
- Edmond, Winston, 370-71
  - Electronic data interchange (EDI), 107
  - Electronic Industries Association (EIA), 16-17
  - Electronic mail (E-mail), 106, 147-48
  - Encapsulation, 279-80, 519-20
  - End-of-contents field, 75
  - End system hello message (ESH), 424
  - End systems (ESs), 417, 418-19, 420-21
    - reachability and discovery in OSI-ES-IS protocol, 424-29
  - End-to-end functions
    - COTS, 291
    - TCP/IP, 291-92
  - End user, 148
  - Entities, 46-47
    - naming, 84-85
  - Entities, application
    - OSI, 85-86, 102, 103-5
    - TCP/IP, 102-3
  - Error detection and recovery, 291, 303, 305-7
  - Error-reporting function, 389-90

- ESPRIT, 139  
 European Committee for Standardization/  
   European Committee for Electrotechnical  
   Standardization (CEN/CENELEC), 19  
 European Telecommunications Standards  
   Institute (ETSI), 486-87  
 Event-report, 203-4  
 Exceptions functional unit, 273-75  
 Expedited data transfer, 291, 340-41  
 Expedited functional units, 266  
 Extended application-layer structure (XALS), 285  
 Exterior gateway protocol (EGP), 424, 462-63
- F-**
- Fault-tolerance broadcast mechanism, 431-32  
 Fiber distributed data interface (FDDI),  
   468, 474-77  
 File transfer, access, and management (FTAM), 101,  
   103-4  
 File-transfer application, 101  
 File-transfer protocol (FTP), 101, 102  
 Filtering, 201, 202  
 FINGER, 108, 140-41  
 Fletcher, J., 307, 386  
 Flow control, 291, 326-28  
 Flows, 371  
 Flush old configuration, 426  
 Forwarding, use of term, 413, 414  
 Forwarding information base, 417-18  
 Forward PDU function, 386  
 FOX project, 140  
 Fragmentation function, 387-89  
 Frame-relay technology, 488-93  
 Frozen references, 320, 324  
 Full-duplex functional units, 264  
 Functional standards, 19  
 Functional units, 252
  - activity-management, 266-70
  - exceptions, 273-75
  - full-duplex, half-duplex, expedited,  
and capability, 264, 266
  - kernel, 262-64
  - major and minor synchronization, 270-71
  - negotiated release, 279-80
  - resynchronize, 272-73
  - symmetric synchronization, 271-72
- G-**
- Gateway-to-gateway protocol (GGP), 424
- GDMO ("Guidelines for the Definition of  
   Managed Objects"), 194-95  
 Genebits, 533-36  
 Give-up timer, 351  
 Government OSI profiles (GOSIPs), 19  
   registration authority, 94-95  
 Government Systems, Inc. (GSI), 96  
 Groff, Jean-François, 143  
 Gruchevsky, S., 434  
 Gurzick, John, 52
- H-**
- Half-duplex functional units, 264, 266  
 Hardcastle-Kille, Steve, 139, 172, 283  
 Hardware address, 429  
 Header composition function, 383  
 Header decomposition function, 383-84  
 Header error-detection function, 386  
 Header information, 57  
 Hellman, M., 135  
 HELLO, 424, 444  
 Hemrick, C., 364, 403-4  
 High-level data-link control (HDLC), 467  
   point-to-point connection standards,  
   468, 469-70  
 High-level entity-management system  
   (HEMS), 178  
 Hop-by-hop harmonization, 365-66  
 Hop-by-hop/node routing, 414-15, 465  
 Host centrics, 364, 366-67
- I-**
- Implementers' agreements, 20-21  
 Implementers' Workshops, 8, 20  
 Implicit flow control, 327  
 Inactivity timer, 352  
 Indefinite form, 75  
 Inheritance, 192  
 Initial domain identifier (IDI), 404-7  
 Institute of Electrical and Electronics Engineers  
   (IEEE), 17  
 Institut National de la Recherche en Informatique  
   et Automatique (INRIA), 139  
 Integrated Network Communication Architecture  
   (INCA), 139  
 Integrated services digital network (ISDN),  
   broadband, 494-97  
 Interdomain intermediate system, 418-19, 421-23

- in OSI, 446-62
  - in TCP/IP, 462-63
  - unified, 464-65
  - Interdomain policy routing (IDPR), 464
  - Interdomain routing protocol (IDRP)(OSI)
    - example, 446-48
    - loop-free routing in, 449-51
    - network-layer reachability information, 457-58
    - path segments, 446
    - in public versus private data networks, 460-62
    - real versus virtual links, 446-447
    - restricting transit traffic, 452
    - routing algorithm, 448-49
    - routing domain confederations, 454-55
    - routing information exchange, 459-60
    - selecting an optimal route, 451
    - selective advertisement of routing information, 452-53
    - supporting multiple routes to a destination, 458-59
    - transit policies supported by, 452, 455-57
  - Intermediate systems (ISs), 417, 418-19, 420-21
    - hello message (ISH), 426-27
  - Intermediate systems intradomain in OSI (IS-IS)
    - area partitions, 439-41
    - areas, 431
    - fault-tolerance broadcast mechanism, 431-32
    - generic description of, 434-37
    - hierarchy levels of, 431, 435-37, 438-39
    - integrated, 443-44
    - link-state packet, 434
    - link-state routing algorithm, 431, 432, 437-38
    - metrics, 441-42
    - operation over X.25 subnetworks, 443
    - partial routing updates, 442
    - pseudonodes, 443
    - shortest-path-first algorithm, 431, 434
  - International Electrotechnical Commission (IEC), 16
  - International Organization for Standardization (ISO), Technical Committee 97 (TC 97), 13-14, 16
  - International standardized profiles (ISPs), 19, 204-5
  - International Telecommunications Union (ITU), 16
  - International Telegraph and Telephone Consultative Committee (CCITT)
    - Directory/X.500 standards, 122-23
    - Recommendation X.208, 68
    - standards process for, 17-19
    - standards with ISO, 14-16
  - Internet
    - See also* Transmission-control protocol/internet protocol
    - defining, 525-27
    - infrastructure of, 8, 22, 23
    - naming-based concept of connectivity, 527-31
    - use of the term, xiv.2
  - Internet Activities Board (IAB), 21
  - Internet Architecture Board (IAB), 21
  - Internet Assigned Numbers Authority (IANA), 25, 95-96
  - Internet Configuration Control Board (ICCB), 21
  - Internet-control message protocol (ICMP), 389-91, 393
  - Internet Engineering Steering Group (IESG), 22
  - Internet Engineering Task Force (IETF), 21-22, 24, 205
  - Internet Network Information Center, 96, 115-16, 140, 563
  - Internet protocol (IP)
    - addresses, 398-403
    - CLNP compared to, 380, 383-96
    - subnetting, 399-402
  - Internet Research Task Force (IRTF), 21
  - Internetworking with TCP/IP (Comer), 44
  - Interop, Inc., 8
  - Interoperability Conferences and Exhibitions, 8
  - Interpersonal messaging (IPM) protocol, 150-54
  - Intradomain intermediate system, 418-19, 421
    - in OSI, 431-44
    - in TCP/IP, 444-46
  - Inverse address resolution protocol (INARP), 491
  - Invoke ID, 235
  - ISODE, 283, 285
- J-
- Jacobson, V., 338
  - Jaffe, J., 434

**-K-**

Kahle, Brewster, 143  
Kamoun, F., 434  
Kent, C. A., 389  
Kernel functional units, 262-64  
Kille, Steve, 139, 172, 283  
Kleinrock, L., 434

**-L-**

Languages  
  abstract syntax notation one, 68-79  
  concrete syntax, 66, 67  
  data representation, 65-68  
  development of universal, 64-65  
  importance of, 64-65  
  TCP/IP community and, 76-78  
  transfer syntax, 67-68, 73-75

Layers  
  purpose of, 37-38  
  TCP/IP, 38-39, 44-45

Layers, OSI, 38  
  application, 41  
  application-oriented, 40-41  
  communications-oriented, 41  
  connections among, 281-84  
  data-link, 43, 467-501  
  future of upper, 284-86  
  lower, 41  
  network, 42, 361-411  
  physical, 43, 467-501  
  presentation, 41-42, 247-61  
  session, 42, 261-81  
  transport, 42, 289-359  
  upper, 40-41, 284-86

Lifetime-control function, 384-86

Link-state packet (LSP), 434

Link-state routing algorithm, 431, 432,  
  437-38

Livermore Interactive Network  
  Communication System (LINCS), 306

Local area networks (LANs), 363-64, 468

LOCUS, 233

Logical link control (LLC), 365, 471-72

Lynch, Dan, 8

**-M-**

McGill University, 142

McQuillan, J., 431

Mail exchanger (MX), 121

Managed  
  entity, 179  
  objects, 183-84, 191  
  system, 192

Managed-object instance, 192, 193

Management. *See* Network management

Management domain (MD), 155

Management information base (MIB)  
  OSI, 191  
  TCP/IP, 179-80, 181-82  
  use of the term, 194n.6

Management information model, 191-95

Managing entity, 179

MANs. *See* Metropolitan area networks

Martin, James, 3

Medin, M., 446

Medium access control (MAC) protocols, 365

Message-handling system (MHS), 104, 106-7

  consumers and suppliers of, 158  
  description of, 148-55  
  expansion, 161  
  extension fields, 159  
  functional entities, 148  
  interpersonal messaging, 150-54  
  interworking between simple mail  
    transfer protocol and, 172-74  
  interworking between versions of  
    X.400, 162-63  
  names and addresses in, 155-58  
  organization mapping-administration  
    of, 155  
  OSI Directory/X.500 and, 135-37, 161-62  
  refinements to-X.400 (1988), 158-61  
  remote operations and reliable transfer  
    facilities, 162

Message-handling system management domain  
  (MHSMD), 93

Message-oriented text-interchange system  
  (MOTIS), 148

Message-transfer agents (MTAs), 148

Message-transfer system (MTS), 148

Messaging  
  *See also* Message-handling system;  
  Simple mail transfer protocol  
  electronic mail (E-mail), 106, 147-48

Metropolitan area networks (MANs), 467,  
  473-500

- asynchronous transfer mode (ATM), 467, 494-97
  - distributed queue dual bus (DQDB), 468, 477-82
  - European Telecommunications Standards Institute (ETSI), 486-87
  - fiber distributed data interface (FDDI), 468, 474-77
  - frame-relay technology, 488-93
  - switched multimegabit data service (SMDS), 482-86
  - synchronous optical network (SONET), 482, 497-500
  - MHS. *See* Message-handling system
  - MilNET, 116
  - MIME (multipurpose Internet mail extensions), 169-71
  - Mockapetris, Paul, 116, 117
  - Modules, ASN.1, 72-73
  - Mogul, J. C., 389
  - Moss, M., 434
  - Multiaccess channel standards, 468-69, 471-72
  - Multicasting, 133
  - Multiple protocol architectures
    - application gateways, 512-15
    - dual stack approach, 510-12
    - encapsulation, 519-20
    - hybrid stacks, 518
    - multiple stack approach, 512
    - transport service bridge, 515-18
  - Multiplexing, 61, 291, 304-5, 489
- N-**
- Names
    - application entity titles, 85-86
    - criteria for, 82
    - domain, 116-18, 563
    - hierarchy, 83-84
    - importance of, 82
    - in message-handling system, 155-58
    - OSI, 84-85, 200
    - OSI Directory / X.500, 126-27
    - registration authorities, 88-96, 563-64
    - system titles, 87
    - TCP/IP, 88, 200
  - Name servers, 116, 118-19
  - National Academy of Sciences, 310
  - National Institute of Standards and Technology (NIST), 20, 94
  - National Science Foundation network (NSFnet), 423
  - Negotiated release functional unit, 275-76
  - Neighbor greeting/initialization, 434
  - Network-control protocols (NCPs), 469-70
  - Networked information retrieval, 141-42
  - Network entity titles (NETs), 85
  - Network file system (NFS), 76, 107, 108, 363
  - Network Information Center (NIC), 96, 115-16, 140
  - Network layer, 42, 361-411
    - addresses, 398-410
    - comparison of internetworking protocols, 380, 383-96
    - connectionless network service, 379-83
    - connection-oriented network service, 372-79
    - connections versus connectionless, 369-72
    - hop-by-hop harmonization, 365-66
    - host-centric view, 364, 366-67
    - internal organization of, 362-72
    - internetworking protocol approach, 366-69
    - LANs versus wide area networks, 363-64
    - network-centric view, 362
    - protocol identification, 394-96
    - selecting services, 361-62
    - X.25 packet level protocol, 374-79
  - Network-layer reachability information (NLRI), 457-58
  - Network management, 107-8
    - common management information protocol, 178, 189-211
    - dual-stack approach, 206-7
    - future of, 208-11
    - importance of, 177
    - mix-and-match protocols, 205-6
    - simple network-management protocol, 177-89, 205-11
  - Network-management station (NMS), 179, 180, 208
  - Network service access point (NSAP), 85
    - addressing, 408-16
    - ANSI standard, 407-9
    - IS-IS routing protocol and, 434-35
    - selector, 434



- Network Solutions, Inc., 96  
 Next hop, 417  
 North American Directory Association (NADA), 19  
 Notations, 47  
 Novell Netware, 507
- O-**
- Object classes, 128, 191-92  
 Object identifiers (OIDs), 70  
   application entity titles and, 86  
   tree, 183-84  
   what are, 96-97, 191-92  
 Office document architecture interchange (ODA/ODIF), 107  
 Onions, Jeremy, 509  
*Open Book, The* (Rose), xix, 510, 512  
 Open shortest path first protocol (OSPF), 444-46  
 Open systems interconnection (OSI)  
   addresses, 88  
   application entity titles, 85-86, 102, 103-5  
   application service elements, 11  
   common management information protocol, 178, 189-211  
   connections and connectionless models of communication, 51-54  
   control messages, 393  
   datagram service in, 379, 381  
   differences between Internet standards and, 26-29  
   distributed application services, 106-9  
   entities, 46-47  
   future of, 505-22  
   history of, xv, 8-9, 10  
   impact of, on TCP/IP, xiv  
   integration with TCP/IP, 510-20, 522  
   layers, 38, 40-44, 247-86, 289-359, 361-411  
   message-handling system, 104, 106-7, 135-37, 148-63, 172-74  
   naming architecture, 84-85, 200  
   Network Management Forum, 19  
   notations, 47  
   problems with terminology used by, 45-46  
   profiles, implementers' agreements, and conformance testing, 19-21  
   protocols, 54-55, 393-94  
   queue model, 50-51  
   Reference Model, 35, 36-37  
   registration authorities, 89-90  
   relationship between service and protocol, 58-59  
   routing, 416-23, 424-29, 431-44, 446-62  
   services, 47-49  
   sorting PCI from user data, 57-58  
   sources of information on, 564-66  
   standards, 13-21, 26-27  
   strengths of, 507-10  
   time-sequence diagrams, 59-60  
 Open Systems interconnection Directory / X.500, 115  
   agent interaction, 132-34  
   architecture, 123-24  
   Directory Information Base (DIB), 124-31  
   Directory Information Tree (DIT), 124  
   entries and attributes, 125-26  
   message-handling system and, 135-37, 161-62  
   model, 129-30  
   names, 126-28  
   object classes, 128  
   protocols, 134, 135  
   role of, 128-29  
   security, 135  
   service, 130-32  
   standards, 122-23  
   in TCP/IP Internet, 137-39  
 Open systems networking  
   defining, 4-5  
   reasons for, 5-6  
 Operation class, 234  
 Operations interface, 234  
 Oran, Dave, 64  
 Originator/recipient name (O/R name), 155-56  
 OSI. See Open systems interconnection
- P-**
- P-ALTER-CONTEXT, 248, 258  
 PARADISE, 137-39  
 Parameter groups, 277  
 Parameter identifier, 277  
 Partridge, C., 178, 371  
 Pass-throughs, 248, 261  
 P-CONNECT, 219, 248, 251-54  
 Perlman, Radia, 415, 425, 431, 443, 446  
 Permanence, naming schemes and, 82

- Physical layer, 43
  - See also* Data-link layer
  - convergence procedures (PLCPs), 482
- Ping(), 209
- Piscitello, David, 383, 434
- Plattner, B., 161
- Point-to-point connection standards, 468, 469-70
- Polling, 180-81
- Port numbers, 301
- Ports, 130-32
  - chained service, 132
- Postel, Jon, 7, 34, 383
- P-P-ABORT, 248
- P-RELEASE, 219, 248, 254
- Presentation-context set definition, 247-48
- Presentation layer
  - connection establishment, 219, 248, 251-54
  - context set negotiation, 254, 257
  - data transformation to and from transfer syntax, 258-59
  - information transfer and dialogue control, 259-61
  - negotiation and renegotiation of transfer syntax, 257-58
  - presentation-context set definition, 247-48
  - primitives and parameters, 249-50, 255-56
  - release and abort services, 219, 248, 254
  - role of, 42-43, 247
  - services, 248-61
- Private management domain (PRMD), 93, 155
- Profiles, OSI, 19
- Protocol-control information (PCI), 55
- Protocol data units (PDUs), 55
- Protocols, 54-55
  - See also under type of*
  - association-control service element, 215-22
  - combinations (OSI), 393-94
  - combinations (TCP/IP), 394
  - common management information, 178, 189-211
  - identification, 394-96
  - OSI Directory / X.500, 132, 135
  - relationship between service and, 58-59
  - remote operations service element, 236-38
  - session layer, 276-81
- P-U-ABORT, 219, 248, 254
- Pucci, M. F., 233
- Push, 292
- Q-
- Queue model, 50-51
- QUIPU, 139
- R-
- RARE (RÇseaux AssociÇs pour la Recherche EuropÇene), 23, 24, 117
- Reassembly, 60
- Recombining, 61
- Redirection, 427-28
- Reference model, 35, 36-37
  - connections and connectionless models of communication, 51-54
- References, frozen, 320, 324
- Reference timer, 353-54
- Registration authorities
  - GOSIP, 94-95
  - Internet, 95-96
  - procedures, 89-90
  - role of, 88-89
  - U.K., 94
  - U.S., 90-94
- Rekhter, Y., 463
- Relative distinguished name (RDN), 126-27, 200
- Release services
  - negotiated release functional unit in session layer, 275-76
  - presentation layer and, 219, 248, 254
- Reliable transfer facilities in message- handling system, 162
- Reliable transfer service element (RTSE)
  - association establishment, 225-27
  - retry, 230
  - role of, 213, 223-25
  - RT-CLOSE, 224, 230-32
  - RT-OPEN, 224, 225, 226
  - RT-TRANSFER, 224, 227-30
  - turn/token management, 230
- Remote database access, 108-9, 244
- Remote operations
  - CMIP and, 199-202
  - reliable transfer facilities in message- handling system and, 162
- Remote operations error (ROER), 238
- Remote operations invoke (ROIV), 237-38
- Remote operations reject (RORJ), 238
- Remote operations result (RORS), 238
- Remote operations service element (ROSE), 232-48

- ASN.1 macros and, 238-41
    - linked, 234, 240-41
    - relationship to other services, 236
    - role of, 214, 232-33
    - services and protocol, 236-38
    - synchronous and asynchronous operations, 234-35
  - Report configuration function, 425
  - Request for comments (RFCs), 24-25
    - message-handling system and, 163
    - simple mail transfer protocol and, 164-65, 169-74
    - TCP/IP architecture and terminology, 62
  - Resolvers/clients, 118, 119-21
  - Resource records, 119, 120
  - Resynchronization, OSI transport protocol and, 304
  - Resynchronize functional unit, 272-73
  - Retransmission timer, 331-32, 343-47
  - Reverse lookups, 121
  - Richter, I., 431
  - RIPE (Région IP Européenne), 23, 117, 563-64
  - Robbins, C., 283
  - RO-ERROR, 237, 238
  - RO-INVOKE, 236-37
  - RO-REJECT, 237
  - RO-RESULT, 237
  - Rose, Marshall T., xix, 75, 180, 184, 186, 219, 280, 507, 510, 513
  - ROSE. See Remote operations service element
  - Rosen, E., 431
  - Rosenberg, J., 434
  - Route PDU function, 386
  - Routing
    - algorithm, 417
    - definition of, 413-14
    - distance-vector, 431, 432
    - domain confederations (RDCs), 454-55
    - domain identifier (RDI), 448
    - domains, 421
    - end systems (ESs), 417, 418-19, 420-21
    - forwarding information base, 417-18
    - functional tiers of, 418-19
    - hop-by-hop, 414-15, 465
    - information base, 417
    - information protocol (RIP), 424, 444
    - interdomain intermediate system, 418-19, 421-23
    - interdomain (OSI), 446-62
    - interdomain (TCP/IP), 462-63
    - intermediate systems (ISs), 417, 418-19, 420-21
    - intradomain intermediate system, 418-19, 421
    - intradomain (OSI), 431-44
    - intradomain (TCP/IP), 444-46
    - metrics, 417, 441-42
    - OSI, 416-23
    - principles, 415-16
    - protocols, 417, 424-65
    - reachability and discovery in OSI-ES-IS protocol, 424-29
    - reachability and discovery in TCP/IP-ARP protocol, 429-30
    - source, 414-15, 464, 465
    - TCP/IP, 423
  - RT-ABORT, 231
  - RT-CLOSE, 224, 230-32
  - RT-OPEN, 224, 225, 226
  - RTSE. See Reliable transfer service element
  - RT-TRANSFER, 224, 227-30, 266
- S-
- Sandberg, R., 76, 103, 233, 363, 370
  - Scale, naming schemes and, 82
  - Schoch, John, 81
  - Scope, naming schemes and, 82
  - Scoping, 201, 202
  - Security
    - OSI Directory/X.500 and, 135
    - simple mail transfer protocol and, 171-72
    - simple network-management protocol and, 188-89
  - Segmentation, 60, 291
    - function, 386-87
  - Separation, 61
  - Sequence control, 291
  - Servers/name servers, 118-19
  - Service(s)
    - access points (SAPs), 49, 84-85
    - association-control service element, 213, 214-23
    - confirmed, 51
    - core capabilities, 213-14
    - data, 49
    - data units, 49

- description of OSI, 47-49
- primitives, 50-51
- provider, 49
- queue model, 50-51
- relationship between protocol and, 58-59
- reliable transfer service element, 213, 223-32
- remote operations service element, 214, 232-44
- unconfirmed, 51
- user, 48
- Session layer
  - abort services, 276
  - activity-management functional units, 266-70
  - exceptions functional unit, 277-75
  - full-duplex, half-duplex, expedited, and capability functional units, 264, 266
  - kernel functional units, 262-64
  - major and minor synchronization functional units, 270-71
  - negotiated release functional unit, 275-76
  - protocol, 276-81
  - resynchronize functional unit, 272-73
  - role of, 42, 261-62
  - services, 262-76
  - symmetric synchronization, 271-72
- Ships in the night (SIN), 511
- Shortest-path-first (SPF) algorithm, 431, 434
- Simple Book, The (Rose), 180
- Simple mail transfer protocol (SMTP), 108
  - commands and replies, 166-71
  - description of, 164-71
  - distribution lists, 169
  - field names/bodies, 165-66
  - hosts, 164
  - interworking between message-handling system and, 172-74
  - mail addresses/mailbox, 169
  - mail header, 165
  - MIME (multipurpose Internet mail extensions), 169-71
  - security and, 171-72
- Simple management protocol (SMP), 207
- Simple network-management protocol (SNMP), 108-9
  - ASN.1 and, 76-77
  - description of, 177-89, 205-11
  - how to manage in, 185-88
  - Management Information Base, 179-80, 181-82
  - over Foo, 206
  - parties, 189
  - protocol stack and, 188
  - security and, 188-89
  - structure of management information, 183-85
  - version 2, 207-8
  - what is managed by, 179-81
- Sliding window mechanism, 328
- SMTP. See Simple mail transfer protocol
- SNMP. See Simple network-management protocol
- Socket interface for OSI transport service, 293-94, 296-97
- SONET. See Synchronous optical network
- Source routing, 414-15, 464, 465
- Specific application service elements (SASE), 244
- Splitting, 61
- SRI International, 96
- Standards
  - differences between TCP/IP and OSI, 26-29
  - OSI, 13-21
  - TCP/IP, 21-26
- Standards Promotion and Applications Group (SPAG), 21
- State machine, 55
- Steedman, D., 75, 79
- Streams. See Connections
- Subnetwork access protocol (SNACp), 472, 365
- Subnetwork-dependent convergence function (SND CF), 368
- Subnetwork-dependent convergence protocol (SND CP), 366
- Subnetwork-independent convergence protocol (SNICP), 367
- Subnetwork point of attachment (SNPA), 421
- Subsystems, 46
- Sunshine, C. A., 383
- Switched multimegabit data service (SMDS), 482-86
- Symmetric synchronization, 271-72
- Synchronization
  - communication, 297-98
  - major and minor synchronization functional units, 270-71
  - parameter, 201

- resynchronize functional unit, 272-79
- ROSE and synchronous and asynchronous operations, 234-35
- session, 260
- symmetric, 271-72
- Synchronize stream (SYN), 320-24
- Synchronous optical network (SONET), 482, 497-500
- Synchronous transfer mode (STM), 494-95
- System identifier, 434
- Systems-management functional areas (SMFAs), 190
- Systems-management functions (SMFs), 190, 202-4
- Systems management overview, 190
- System titles, 87

### -T-

- Tags, ASN.1, 70-72
- Tajibnopis, W., 434
- Tanenbaum, Andrew S., 3, 468
- TCP/IP. See Transmission-control protocol/Internet protocol
- Telecommunications-computer technology relationships, 3-4
- Telephone directories, 112-13
- TELNET, 138
- Thinking Machines Corp., 143
- Three-way handshake, 315-17, 322
- Timers, 342-43
  - backing off for subsequent retransmissions, 349-51
  - connection-establishment, 348
  - data retransmission, 348-49
  - give-up, 351
  - inactivity, 352
  - reference, 353-54
  - retransmission, 331-32, 343-47
  - window, 352-53
- Time-sequence diagrams, 59-60
- TLV encoding, 73
- Tokens, 262, 264, 266, 475
- Traceroute(), 209, 522
- Transfer syntax, 67-68, 73-75, 247, 257-59
- Transmission-control protocol/Internet protocol (TCP/IP), 290
  - See also Internet addresses, 88
  - applicability statements, 25
  - application entity titles, 102-3, 105
  - applications, 11
  - architecture, 33-34, 35
  - comparing TP4 to, 310-11
  - connection-oriented transport service, 291-92
  - connection release/refusal, 356-57
  - connections, 320-24
  - control messages, 393
  - datagram service in, 381-83
  - data transfer, 334-37
  - differences between OSI standards and, 26-29
  - domain name system, 115-21, 145
  - drafts, 24-25
  - future of, 505-22
  - history of, xv-xvi, 6-8
  - impact of, on OSI, xiii-xiv
  - integration with OSI, 510-20, 522
  - layers, 38-39, 43, 44-45, 361-411
  - naming, 88, 200
  - Network Information Center, 96, 115-16, 140, 563
  - OSI Directory/X.500 in Internet, 137-39
  - primitives, 294, 295
  - protocol combinations, 394
  - routing, 423, 429-30, 444-46, 462-63
  - simple mail transfer protocol, 108, 164-75
  - simple network-management protocol, 177-89, 205-11
  - sources of information on, 560-64
  - standards, 21-26
  - timers, 342-54
  - urgent data, 292, 341-42
  - use of the term, 6n.3
  - window considerations, 337-40
  - X.25 and, 379
- Transport layer
  - addressing, 300-301
  - connection-oriented transport service (OSI), 290-91
  - connection-oriented transport service (TCP), 291-92
  - connection release/refusal (OSI), 354-56
  - connection release/refusal (TCP), 356-57
  - connections (OSI), 311-19

- connections (TCP), 320-24
  - datagrams, 358-59
  - data transfer (OSI) 325-28
  - data transfer (TCP), 334-37
  - expedited data, 291, 340-41
  - frozen references, 320, 324
  - primitives (TCP), 294, 295
  - primitives and parameters (OSI), 291, 292
  - role of, 42, 289-90
  - socket interface for OSI service, 293-94, 296-97
  - three-way handshake, 315-17, 322
  - timers, 342-54
  - UNIX system calls, 294, 295, 317-19
  - urgent data, 292, 341-42
  - window considerations, 337-40
  - X/OPEN transport interface, 297-99
  - Transport layer protocol (OSI), classes of, 301
    - choosing, 307-9
    - Class 0: the simple class, 302-3
    - Class 1: basic error recovery, 303
    - Class 2: multiplexing, 304-5
    - Class 3: error recovery and multiplexing, 305
    - Class 4: error detection and recovery, 305-7
    - comparing class 4 to TCP, 310-11
    - connection release/refusal, 354-56
    - data transfer in, 325-28
    - reliability and class 4, 328-34
    - timers, 342-54
    - window considerations and class 4, 337-40
  - Transport protocol (TP) classes, 311, 315
  - Transport service access point (TSAP), 49
    - identifiers, 300-301, 312
  - Transport service bridge, 515-18
  - Transport service data units (TSDUs), 49
  - Trap-directed polling, 180-81, 187-88, 204
  - Trap message, 180-81
  - Traps, 179
  - Trewitt, G., 178
  - Tsuchiya, Paul, 432, 446, 463
- U-
- Unblocking, 61
  - Unisys, 433
  - United Kingdom registration authority (UKRA), 94
  - United States
    - Defense Communications Agency, 310
    - General Services Administration, 94
      - registration authority, 90-94
    - University of California (Berkeley), 116
    - University of London Computer Centre, 137
    - UNIX, 116, 209, 294, 295, 317-19
    - Urgent data, 292, 341-42
    - User agent (UA), 148
    - User data, 55
    - User datagram protocol (UDP), 209, 290, 358-59
    - User element, 104
    - User-friendliness, naming schemes and, 82
    - User-session-requirements, 260, 263-64
- V-
- Veenstra, Jack, 91
- W-
- Walker, B., 233
  - Watson, R., 306
  - WHOIS, 108, 140
  - Wide Area Information Service (WAIS), 108, 142-43
  - Window considerations, 337-40
  - Window timer, 352-53
  - Working documents, 17
  - Working item, 17
  - WorldWideWeb, 108, 143-44
- X-
- Xerox, 306
    - network systems (XNS), 363
  - X.25 packet level protocol
    - interfaces, 374-76
    - TCP/IP use of, 378-79
    - used to provide a subnetwork service in OSI, 376-78
  - X.410 (1984) mode, 222-23
  - X.500. See OSI Directory/X.500
  - X/OPEN transport interface, 297-99
  - X Window System, 108
- Z-
- Zones, 118, 119